


# KARIGA



# MOBILE YARD RAMP



Electrical adjustment



Durable tires and wheel axle



Robust mesh bedding



Anti-slip and open hot-dip galvanized grids



Mechanical pump



Securing chains and clamps

MODEL	M-7.0	M-10.0	M-12.0	M-15.0	M-20.0
Loading capacity	7000 kg	10000 kg	12000 kg	15000 kg	20000 kg
Total weight	3300 kg	3800 kg	4100 kg	4400 kg	5400 kg
Overall width	2430 mm	2430 mm	2430 mm	2430 mm	2430 mm
Overall length	11500 mm	11500 mm	11500 mm	11500 mm	11500 mm
Usable width	2200 mm	2200 mm	2200 mm	2200 mm	2200 mm
Height adjustment range	800-1500 mm	800-1500 mm	800-1500 mm	800-1500 mm	800-1500 mm
Lip into the truck/container	2000x300 mm	2000x300 mm	2000x300 mm	2000x300 mm	2000x300 mm



# HOOK-LIFT CONTAINER



Model type	KK-12	KK-15	KK-20	KK-22	KK-30	KK-35	KK-37	KK-40
Volume	12 m <sup>3</sup>	15 m <sup>3</sup>	20 m <sup>3</sup>	22 m <sup>3</sup>	30 m <sup>3</sup>	35 m <sup>3</sup>	37 m <sup>3</sup>	40 m <sup>3</sup>
Overall length, mm	6000-6500 mm							
Overall width	2450 mm							

## ADDITIONAL COMPLECTATION:

Hydraulic rear door  
Lifting cover with a mechanical hydraulic pump  
Roll up awning  
Hardox steel metal

# KARIGA



# SKIP CONTAINER



Model type	KK-4	KK-6	KK-8	KK-10
Volume	4 m <sup>3</sup>	6 m <sup>3</sup>	8 m <sup>3</sup>	10 m <sup>3</sup>
Sides	3-4 mm			
Floor	3-5mm			

## ADDITIONAL COMPLECTATION:

Removable awning  
 With opening covers  
 Can be choose dimensions



# METAL STEEL CONSTRUCTIONS

**KARIGA**



**UAB KARIGA**



**+37069614948**



**+37061567496**



**Info@kariga.lt**

**📍 Melioratorių g. 1D, LT-89145, Mažeikiai, Lithuania**